

25X1

M/EE 333/63  
13 August 1963  
Ccopy 4

25X1

MEMORANDUM FOR: Chief, Military-Economics Division, CRR

ATTENTION: [REDACTED]

FROM: Chief, CIA/PID (NPIC)

SUBJECT: FLIM FLAM Stations in USSR

REFERENCES: (a) Requirement C-RR-3-80, 384  
(b) CIA/PID Project C 990-63

1. This memorandum is in response to your requirement dated 17 July 1963 requesting a study of FLIM FLAM stations at Makat, Ulan Ude, and Khutor, USSR to determine the average number of persons needed to operate the installations.

2. The station at Ulan Ude was not covered by photography of sufficient quality to permit analysis in detail required by this project. Both Khutor and Makat were covered on [REDACTED] by fair quality photography. At Makat, 29 buildings were measured for a total of approximately 110,000 square feet. At Khutor, 24 buildings were measured for a total of approximately 115,000 square feet. Heights of buildings and number of stories could not be determined due to the quality of the photography. Buildings at the sites were not considered, but only those in the nearby support areas.

3. The photo analyst on this project is [REDACTED] and he may be contacted on extension [REDACTED] should you have any questions regarding this project.

4. This project is considered to be complete.

[REDACTED]

Declass Review by NGA

25X1